



[For sales & support in Canada contact HUBSS.com](http://HUBSS.com)

HUB East (416) 540-9287

HUB West (604) 309-8212



streetbond[®]

ColorCard

Turn the world
into your canvas

Our complete pavement coatings guide

Products that do more than look good.

StreetBond coatings aren't just beautiful. They're also:



EASY TO USE

Enjoy simplicity and speed for effortless application — whether that's rolling, brushing, or spraying.



SAFE

Our water-based products are low in VOCs, making them safe for you to apply.



VISUALLY APPEALING

We use color-stable pigments to keep every one of our colors looking like new, for longer.



DURABLE

Our coatings maintain their vibrance and preserve the surfaces they touch, helping to extend the life of and reducing the cost to maintain your pavement.



CUSTOMIZABLE

Can't find the right color in our 73+ color options? You can order custom colors for a personalized palette to better represent you, your business, or your organization.




Durable, safe coatings that can help cool and beautify any space.

StreetBond products combine vibrance, safety, and durability. Our extensive number of color options can help extend the life and beauty of asphalt and concrete.

You can unleash your full creative power and transform any built space, knowing that you aren't just making it beautiful — you're also making it safer and potentially cooler.

To help you find what you're looking for quickly, we classify our coatings into four categories.



VIBRANT

Our Vibrant color options range from warm, neutral earth tones to vivid and bright hues. These color-stable coatings can help extend the life of the surfaces they touch, and enhance the visual appeal of any space.



LEED® COMPLIANT

Our Invisible Shade technology increases the Solar Reflectance of our coatings above 0.334, helping you achieve LEED certification, without limiting you to light colors. Invisible Shade also delays UV damage to your pavement, while keeping your colors vibrant for years to come.



PREFERENTIAL

Our Preferential colors can be used to emphasize important traffic areas like bicycle lanes, bus lanes, jogging paths, and more. These coatings keep their color for years, helping to keep cyclists and pedestrians safe — and cities running smoothly.



SURFACE SEAL

Our Surface Seal treatments help preserve and protect asphalt roads and streets from wear, freezing, and vehicle leaks. Surface Seal coatings can also extend the life of asphalt and pavement, with minimal maintenance required.

VIBRANT



Bedrock

SR: 0.07



Bike Path Green

SR: 0.26



Brick

SR: 0.09



Granite

SR: 0.07



Pewter

SR: 0.24



Sierra

SR: 0.07



Slate

SR: 0.05



Terra Cotta

SR: 0.13



Black

SR: 0.03



Brown Suede

SR: 0.11



Burnt Sienna

SR: 0.07



Concrete Gray

SR: 0.17



Hunter Green

SR: 0.05



Marigold

SR: 0.35



Nutmeg

SR: 0.30



San Diego Buff

SR: 0.21



Sunset Blush

SR: 0.25



Taupe

SR: 0.25



Aqua

SR: 0.22



Butterscotch

SR: 0.30



Chestnut Brown

SR: 0.34



Cobalt Blue

SR: 0.31



Down To Earth

SR: 0.12



Driftwood

SR: 0.25



Graphite

SR: 0.07



Gun Metal

SR: 0.21



Merlot

SR: 0.26



Mocha

SR: 0.11



Patriot Blue

SR: 0.06



Pumpkin Spice

SR: 0.33



Sage

SR: 0.17



Sandy Beige

SR: 0.26



Sea Foam

SR: 0.21



Smokey Mauve

SR: 0.13



Avocado

SR: 0.35

LEED COMPLIANT



SR Fawn

SR: 0.33




SR Khaki

SR: 0.34




SR Sandstone

SR: 0.37




SR White

SR: 0.77



SR Irish Cream

SR: 0.49



Limestone

SR: 0.34



SR Sunbaked Clay

SR: 0.45



SR Evergreen

SR: 0.33



SR Terra Cotta

SR: 0.34



SR Brownstone

SR: 0.33



SR MOD Slate

SR: 0.34




SR Paprika

SR: 0.36



Mustard

SR: 0.41



PREFERENTIAL



Safety Blue

SR: 0.33



Safety Yellow

SR: 0.62



Safety Orange

SR: 0.56



Safety Red

SR: 0.45



Bright Green

(PMMA)

SR: 0.37



Truffle

SR: 0.23



NY Red

(PMMA)

SR: 0.19



NY Green

(PMMA)

SR: 0.31



Celtic Green

SR: 0.26



CL Emerald Green

SR: 0.25



CL Shamrock Green

SR: 0.32

SURFACE SEAL



DuraShield Asphalt Part A

SR: 0.07



DuraShield SR Gray Part A

SR: 0.37

KEY

SR - Solar Reflective (SR) values represent the percentage of the sun's energy reflected away from the finished coating. All things being equal, the higher the value, the cooler the surface's temperature.

PMMA - (Poly) Methyl Methacrylate is a fast curing, highly durable coating that offers bold colors for applications when maximum durability and/or fast return to service is critical.

Please contact your local StreetBond Representative to learn more about your color and coating technology options.

NOTE: The color samples in this guide may not precisely match their physical equivalents. Always refer to physical samples before making your color choices.

NOTE: Colors listed in one category may be used for other applications. Categorization is based on most frequent use.

Turn the world into your canvas.



streetbond@gaf.com

1 Campus Drive
Parsippany, NJ 07054

North America Customer Service
855-444-9977